

MUZZLE-LOADING RIFLE: capping breech-loaders eligible but not modern "straight line" patterns

R=ranging shots S=sighters (C=convertible N=non convertible U=unlimited) **MLAGB SCORING** Shots must be at least 50% over line to claim the higher value.

SSCB column shows the Skilled Shot bogey score

Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB
100	200yds	M/L Target Rifle	Target	Any	Prone	MLAGB (10/13) NRA RB	Contemporary designs.	35
101	100yds	M/L Target Rifle	Target	Any	Prone	MLAGB (10/13) PL7	Contemporary designs. MLAGB SCORING	85
102	100yds	M/L Service Rifle	Service	As Issued	Prone	MLAGB (10/13) PL7	Issue sights/sling . MLAGB SCORING	80
103	200yds	M/L Free Rifle	Free Rifle	Any	Any	2NS + 10 NRA RB	Any contemporary sights	42
104	200yds	M/L Service Rifle	Service	As Issued	Prone	2NS + 10 NRA RB	Issue sights/sling	40
105	200yds	M/L Target Rifle	Target	Any	Standing	2NS + 10 NRA RB	Any contemporary sights	32
106	200yds	M/L Service Rifle	Service	As Issued	Standing	2NS + 10 NRA RB	Issue sights/sling	30
107	500yds	M/L Target Rifle	Target	Iron sights	Prone	1R + 2CS + 10 NRA RB	Rests permitted	37
108	500yds	M/L Service Rifle	Issued	As Issued	Prone	1R + 2CS + 10 NRA RB	Issue sights/sling. Rests permitted	27
109	600yds	M/L Any Rifle	Any	Any sights	Prone	1R + 2CS + 10 NRA RB	Contemporary designs. Rests permitted	30
110	50yds	M/L Patched Ball Rifle	Rifle	Open sights	Standing	5 min sighters. 2x5 in 10 mins PL7	Contemporary designs. Patched ball only.	58
111	50yds	M/L Patched Ball Rifle	Rifle	Aperture sights	Standing	5 min sighters. 2x5 in 10 mins PL7	Contemporary designs. Patched ball only.	64
112	50yds	M/L Musket	Musketoon	As Issued	Standing	5 min sighters. 2x5 in 10 mins PL7	Contemporary designs.	50
113	900yds	M/L Any Rifle	Rifle	Contemporary designs.	Prone/Supine	2R + 3CS + 15 NRA RB	Any Sights of contemorary design. Rests permitted	40
114	200yds	Flintlock Rifle (Original)	Flintlock rifle	Original	Prone	2NS + 10 NRA RB	Open iron sights.	27
115	200yds	Flintlock (Original/Repro) Open Sights HAM Incl Originals.	Flintlock	Original/Repros	Prone	2NS + 10 NRA RB	Open iron sights.	30
116	100yds	Patched Ball Open Sights	Patched Ball	Open sights	Standing	13 shots in 30 mins. Best 10 to count PL7	Contemporary designs. Patched ball only. PL7 target.	62
117	100yds	Musketoon Open Sights	Musketoon	Open sights: max OAL 40.5" (103cm)	Standing	13 shots in 30 mins. Best 10 to count PL7	Short rifle/carbine. Contemporary designs. PL7 target.	58
118	200yds	Any Percussion Rifle	Any Percussion Rifle	Any sights	Standing	2NS + 10 NRA RB	Any contemporary sights	32
119	200yds	Patched Ball Open Sights	Patched Ball	Open sights	Standing	2NS + 10 NRA RB	Contemporary designs. Patched ball only.	25
120	100yds	Patched Ball Open Sights	Patched Ball	Open sights	Prone	13 shots in 30 mins. Best 10 to count PL7	Contemporary designs. Patched ball only. PL7 target.	70

AGGREGATES TM Only

915 **PERCUSSION SERVICE RIFLE (Matches 102, 104 and 108)**

VINTAGE RIFLE: Dateline end of 1891. Breechloaders only unless express permission given. **Black powder only**

R=ranging shots S=sighters (C=convertible N=non convertible U=unlimited)

SSCB column shows the Skilled Shot bogey score

Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB
200	200yds	Vintage Carbine	Carbine	Any calibre inc Rimfire	Prone	2NS + 10 NRA RB	Max Oal 40.5" Iron Sights	33
201	200yds	Any Vintage Rifle	Any	Any calibre inc Rimfire	Prone	2NS + 10 NRA RB	Iron sights	40
202	200yds	Vintage Service S/Shot large	Service S/Shot	Large-bore (>12mm)	Prone	2NS + 10 NRA RB	Issue sights/sling	34
203	200yds	Vintage Service S/Shot medium	Service S/Shot	Medium-bore (9-12mm)	Prone	2NS + 10 NRA RB	Approx .355-.472. Issue sights/sling	39

204	200yds	Vintage Service S/Shot large bore	Service S/Shot	Large-bore (>12mm)	Standing	2NS + 10 NRA RB	Issue sights/sling	27
205	200yds	Vintage Service S/Shot medium bore	Service S/Shot	Medium-bore (9-12mm)	Standing	2NS + 10 NRA RB	Approx .355 minimum. Issue sights/sling	27
206	200yds	Vintage Service S/Shot small bore	Service S/Shot	Small-bore (<9mm)	Standing	2NS + 10 NRA RB	Max .354 CF calibres. Issue sights/sling	28
207	200yds	Vintage Repeating Rifle	Repeating Rifle	Includes magazine and lever-actions	Standing	2NS + 10 NRA RB	Contemporary designs & sights	30
208	500yds	Vintage Any Rifle	BP Breechloader	Any BP	Prone/Supine	2R + 3CS + 15 NRA RB	Wiping allowed, wrist rests permitted	38
209	500yds	Vintage Service Rifle	Service	Medium and large-bore only.	Prone	2R + 3CS + 15 NRA RB	Issue sights/sling	31
210	100yds	Any Vintage S/S Rifle Large	Any	Large-bore (>12mm)	Standing	23 shots in 30 mins. Best 20 to count PL7	Any contemporary Iron sights, blowing/wiping permitted.	
211	100yds	Any Vintage S/S Rifle Large	Any	Large-bore (>12mm)	Prone	23 shots in 30 mins. Best 20 to count PL7	Any contemporary Iron sights, blowing/wiping permitted.	
212	100yds	Any Vintage S/S Rifle Med/Small	Any	Medium/Small-bore (= or < 12mm to 9mm)	Standing	23 shots in 30 mins. Best 20 to count PL7	Any contemporary Iron sights, blowing/wiping permitted.	
213	100yds	Any Vintage S/S Rifle Med/Small	Any	Medium/Small-bore (= or < 12mm to 9mm)	Prone	23 shots in 30 mins. Best 20 to count PL7	Any contemporary Iron sights, blowing/wiping permitted.	
230	600yds	Any Vintage Rifle	Any	BP only	Prone/Supine	2R + 3CS + 10 NRA RB	Wiping allowed, wrist rests permitted	30
232	900yds	Vintage Match Rifle	Match	Over 10.5mm (about .413")	Any	2R + 3CS + 15 NRA RB	Wiping allowed, Wrist rests permitted.	50
233	900yds	Vintage Service Rifle	Service	Medium/Small-bore (= or < 12mm to 9mm)	Prone/Supine	2R + 3CS + 15 NRA RB	Issue sights/sling , Rests permitted	44
234	200yds	Any Vintage Rifle	Any	Contemporary action/cartridge	Standing	2NS + 10 NRA RB	Sporterised rifles allowed	25
235	200yds	Any Vintage S/S Rifle	Any Single Shot	Period magazine rifle allowed if single-loaded	Prone	Rapid 2NS + 1 min DP1	Starts unloaded: rifles may be loaded at any time during the 1 min exposure. Max 15 rnds.	25
236	200yds	Vintage Repeating Rifle	Repeating Rifle	Medium and large-bore only	Prone	Rapid 2NS + 1 min DP1	Starts unloaded: rifles may be loaded at any time during the 1 min exposure. Iron sights. No slings. Max 15 rnds	25
237	200yds	Any Vintage Rifle	Any Rifle	Single-loaded	Prone	Single Snaps 2NS+15 at Reduced DP1 Tgt	Start with 5 rounds loaded, 3 Secs exposure and minimum 5 secs away time between exposures.	15
240	1000yds	Vintage Match Rifle	Match	Over 10.5mm (about .413")	Prone/Supine	2R + 3CS + 15 NRA RB	Wiping allowed, wrist rests permitted	69

THE AMERICAN MATCHES: Dateline end of 1899. Breechloaders and muzzle loaders permitted								
251	200yds	The Offhand Match	Black powder	Unsupported	Standing	2NS + 10 NRA RB	BP only. Contemporary sights.	new
253	600yds	Buffalo Match	Black powder	X sticks/ wrist rests allowed	Prone	3NS +10 Buff Sil Tgt	BP only. Iron sights only. Buffalo silhouette target	
254	600yds	Scope Match.	Black powder	X sticks/ wrist wrists allowed	Prone	3NS +10 Buff Sil Tgt	BP only. Contemporary scope sights only. Buffalo silhouette target	

AGGREGATES TM Only								
920	The Halford AGGREGATES TM Only (Matches 208, 230 and 232)							

CARBINE & SHORT RIFLE: - .22 Tgt 100m & SHORT RIFLE: Any design prior to 1961 (Carbines exceeding 40.5ins but defined as such at time of manufacture allowed).. Short Rifle Max OAL 40.5 inches CF only (No Lever Actions)

Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB
300	100yds	Any Carbine	Carbine	Any rifle	P S K	10 shots prone , 5 shots kneeling or sitting, 5 shots standing in 30 minutes. PL7 target.	Any centre fire carbine pre 1961, Any sights optics in spirit of original, no illumination.	105
301	200yds	Service Carbine	Carbine	Service	Prone	2NS + 10 Sand/Sky Tin Hat	Issue sights/sling	32
302	200yds	Any Carbine	Carbine	Any rifle	Prone	2NS + 10 NRA RB	Any centre fire carbine pre 1961	34
303	500yds	Carbine	Carbine	Any rifle	Prone	2NS +10 NRA RB	Any rifle, any sights contemporary design pre 1945.	26
304	200yds	Carbine Rapid	Carbine	Any rifle	Prone	Rapid 2NS + 1 min DP1	Starts unloaded: rifles may be loaded at any time during the 1 min exposure. Iron sights. No slings. Max 15 rnds	32
305	200yds	Carbine Single Snaps	Carbine	Any rifle	Prone	Single Snaps 2NS+15 at Reduced DP1 Tgt	Start with 5 rounds loaded, 3 Secs exposure and minimum 5 secs away time between exposures.	27
350	50m	The Bolt Action 22 Target Rifle Match	0.22rf "Target" Rifle (GR)	B/A rifle only	Prone	Unlimited sighters & 20 shots in 20 mins GR5	Original condition B/A Target Rifles Pre 1961 designs only. Unlimited sighters & 20 shots in 20 mins	182
351	100yds	The Bolt Action. 22 Target Rifle Match	0.22rf "Target" Rifle (GR)	B/A rifle only	Prone	23 shots in 30 mins. Best 20 to count PL7	Original condition B/A Target Rifles Pre 1961 designs only. Unlimited sighters & 20 shots in 20 mins. Full target shooting kit permitted. PL7 target.	180
360	50m	The Martini Target Match	0.22rf "Target" Rifle (GR)	Martini actioned .22 rf	Prone	Unlimited sighters & 20 shots in 20 mins GR5	Any Martini Actioned Target Rifle up to International Mk 5. Full target shooting kit permitted. US + 20 in 20mins	184
361	100yds	The Martini Target Match	0.22rf "Target" Rifle (GR)	Martini actioned .22 rifles	Prone	23 shots in 30 mins. Best 20 to count PL7	Any Martini Actioned Target Rifle up to International Mk 5. Full target shooting kit permitted. PL7 target.	185

CLASSIC RIFLE: Dateline end 1918. "Vintage" eligible if smokeless ammunition used. CF unless stated otherwise.

R=ranging shots S=sighters
(C=convertible N=non convertible
U=unlimited)

SSCB column shows the Skilled Shot bogey score

Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB
400	50m	Classic Target Rifle	Target Rifle	.22RF-.310 Cadet	Prone	US + 4 x 5 shots in 20 mins GR5	Two point slings. Contemporary iron sights	180
401	50m	Classic Military Miniature	Military Miniature	.22RF-.310 Cadet	Prone	US + 4 x 5 shots in 20 mins GR5	Two point slings only. As issued iron sights (Incl .22 SMLE)	170
402	55yds	Classic Rook&Rabbit Rifle	Rook Rifle	R&R CF calibres	Standing	2 x 10 in 10 mins HBSA 50yds MELVILLE	"Traditional" single-shot rifle in Centrefire R&R calibres e.g., .380 Long, .360 No.5, .310, .295/.300, 297/.250, .297/.230. .32WCF, .32/20 and .25/20WCF are deemed to be "R & R"-- fitted with Metallic sights (i.e., aperture rear-sights OR open mid-sights).	120
403	200yds	Classic Single Shot Service Rifle	Service S/Shot	Early Classic s/shot	Prone	2NS + 10 Sand/Sky Tin Hat	Single shots eg Martini Enfield , Issue sights/sling	43
404	55yds	Classic Rook and Rabbit	Rook & Rabbit	Traditional R&R CF	Standing	4NS + 2 x 10 MOVING R Boar 10 runs Left & Right	Any Classic SINGLE-SHOT Sporting rifle chambered for a "traditional" Rook & Rabbit CF cartridge AND/OR a rimfire cartridge above .23" nominal calibre. NOTE: A Special Award will be given for the highest Rimfire R&R Rifle score.	100
405	200yds	Any Classic Rifle	Any	Any Rifle centrefire	Prone	2NS + 10 NRA RB	Sights AGP 5 etc deemed eligible. Single shots see 403.	47
406	200yds	Classic Service Rifle	Service	Issue pattern only	Prone	2NS + 10 Sand/Sky Tin Hat	Issue sights/sling Sights central. SPECIAL AWARD for early classic pre 1895 design; use of Black Powder for this class is encouraged. Metallic sights only.	46
407	500yds	Any Classic Rifle	Any	Iron sights. Pre 1919 design	Prone	2NS + 10 NRA RB	See 405	33
408	500yds	Classic Service Rifle	Service	Issue pattern only	Prone	2NS + 10 NRA TH	Unmodified rifle. Issue sights/sling	4

409	600yds	Classic Any Rifle	Any	Any Rifle	Prone	2NS + 10 NRA RB	As 405, 407	38
410	200yds	Classic Sporting Rifle Met Sights	Classic Sporting Rifle	CF only iron sights	Prone	2NS + 10 NRA RB	Sporter of pre-1919 design used with any contemporary pattern metallic sights.	43
411	200yds	Classic Sporting Rifle Optical	Classic Sporting Rifle	Optical sights	Prone	2NS + 10 NRA RB	Optical contemporary sights	46
412	200yds	Classic Service Sniper Rifle Optical only	Classic Service Rifle	Optical sights	Prone	2NS + 10 Sand/Sky Tin Hat	As issued, Optical contemporary sights	46
414	200yds	Classic Service Rifle	Service	Issue pattern only	Standing	2NS + 10 Sand/Sky Tin Hat	Issue sights/sling Was event 407	33
415	200yds	Classic Miniature Target Rifle	Classic Miniature TR	Iron sights	Prone	2NS + 10 NRA RB	BSA Rifles up to and including M12 are eligible. Later (pre-1946) foresights are permitted Slings permitted	40
416	200yds	Classic Service Rifle	Service	Issue pattern only	Prone	Single Snaps 2NS+15 at Reduced DP1 Tgt	Start with 5 rounds loaded, 3 Secs exposure and minimum 5 secs away time between exposures. As issued sights/slings.	40
420	110yds	Classic Running Deer	Classic Sporting Rifle	Any	Standing	2NS + 10 MOVING R Deer 5 runs Left & Right	Any sights. Any centrefire sporting rifle, including contemporary conversions of Service Rifles if "in the spirit". No slings	65
450	600yds	Classic Service Rifle	Service	Issue pattern only	Prone	2NS + 10 NRA TH	Unmodified rifle. Issue sights/sling	35
451	900yds	Classic Target Rifle	Target	Classic TR 2 point sling.	Prone	3CS+15 NRA RB	Contemporary iron sights. No rests.	55
452	900yds	Classic Service Rifle	Service	Issue pattern only	Prone/Supine	3CS+15 NRA RB	Unmodified rifle. Issue sights/sling. No rsts.	45
461	100yds	Classic Rook & Rabbit	Rook & Rabbit	Traditional R&R CF calibres	Standing	Best 20 shots of 23 in 30mins PL7 target	CF single shots to .380 Long .	150
463	200yds	Classic Rook & Rabbit	Rook & Rabbit	Traditional R&R CF calibres	Standing	2NS + 10 NRA RB	Any Classic SINGLE-SHOT Sporting rifle chambered for a "traditional" Rook & Rabbit CF cartridge AND/OR a rimfire cartridge above .23" nominal calibre. Max .380 Long.	41
464	200yds	Classic Any Rifle Rapid	Classic Rifle	Any Rifle centrefire	Prone	Rapid 2NS + 1 min DP1	Starts unloaded: rifles may be loaded at any time during the 1 min exposure. Max 15 rounds	48
465	200yds	Classic Service Rifle	Service	Issue pattern only	Prone	Rapid 2NS + 1 min DP1	Starts unloaded: rifles may be loaded at any time during the 1 min exposure. Issue sights. No slings Max 15 rnds	49
467	200yds	Classic Service Rifle	Service	Issue pattern only	Prone	Double Snaps 2NS +10 X 5 secs DP1 reduced size	The firer may start with 5 rounds loaded: rifles may be reloaded any time during the series.10 exposures of 5s, 2 shots per exposure, with 5 secs minimum away time between exposures. Issue sights. No slings	23
470	200yds	Rimfire Schutzen Rifle	Rimfire	Rimfire	Standing	2NS + 20 shots NRA RB	Unsupported, no sling Not restricted to those rifles fitted with palm-rests, horned butt-plates and set triggers: i.e. open to TRs & SRs Any pre-1946 rifle in a RIMFIRE calibre, fitted with any pattern of metallic sights. Separate awards Classics/ Veteran	70
471	200yds	Vintage B-L & Classic Centrefire Schutzen Rifle	Centrefire	pre 1919	Standing	2NS + 20 shots NRA RB	Unsupported, no sling Not restricted to those rifles fitted with palm-rests, horned butt-plates and set triggers: open to TRs & SRs Any pre-1919 CENTREFIRE rifle fitted with any pattern of metallic sights.	65
472	200yds	Open Schutzen Rifle	Any rifle	Pre 1961 design	Standing	2NS + 20 shots NRA RB	Unsupported, no sling Not restricted to those rifles fitted with palm-rests, horned butt-plates and set triggers: open to TRs & SRs Any pre-1961 rifle (RF and/or CF) with any contemporary sights and mounts.	75

AGGREGATES TM Only								
940	Classic S.R. AGGREGATES TM Only (Deliberate and Rapid - Matches 406 & 465)					Multiple entries are NOT permitted.		
941	Classic Any Rifle AGGREGATES TM Only (200, 500 & 600 Matches 405, 407 & 409)							
942	Classic S.R. AGGREGATES TM Only (200, 500 & 600-- Matches 406, 408 & 450)							

VETERAN RIFLE: Designs between 1919 and 1945... Datelined at BOTH ends. CF unless stated otherwise

R=ranging shots S=sighters
(C=convertible N=non convertible
U=unlimited)

SSCB column shows the Skilled Shot bogey score

Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB
500	50yds	Veteran Any .22 Rimfire	Any	.22RF 1919-1945 Des	Prone	US + 4 x 5 in 20 mins GR5	Iron sights, max 2" web sling. Single or	194
505	200yds	Veteran Any Rifle	Any	Centrefire 1919-1945 Des	Prone	2NS + 10 NRA RB	Any contemporary iron sights	45
506	200yds	Veteran Service Rifle	Service	Issue pattern only	Prone	2NS + 10 Sand/Sky Tin Hat	Issue sights/sling	45
508	200yds	Veteran Service Rifle Sniper Optical only	Service	Issue pattern OPTICAL	Prone	2NS + 10 Sand/Sky Tin Hat	Issue sights/sling, optical sight.	43
510	200yds	Veteran Service Rifle	Service	Issue pattern only	Standing	2NS + 10 Sand/Sky Tin Hat	Issue sights/sling	35
523	500yds	Veteran Any Rifle	Any Rifle	Centrefire	Prone	2NS + 10 NRA RB	As #505	43
524	500yds	Veteran Service Rifle	Service	Issue pattern only	Prone	2NS + 10 NRA TH	Unmodified rifle. Issue sights/sling	42
528	600yds	Veteran Any Rifle	Any Rifle	Centrefire	Prone	2NS + 10 NRA RB	As #505	38
530	600yds	Veteran Service Rifle	Service	Issue pattern only	Prone	2NS + 10 NRA TH	Unmodified rifle. Issue sights/sling	35
537	900yds	Veteran Any Rifle	Any Rifle	1919-1945 Des	Prone/Supine	3CS+15 NRA RB	Contemporary iron sights. 2 point sling . No rests.	55
538	900yds	Veteran Service Rifle	Service	Issue pattern only	Prone	3CS+15 NRA RB	Unmodified rifle. Issue sights/sling . No Rests.	55
539	200yds	Veteran Service Rifle	Service	Issue pattern only	Prone	Single Snaps 2NS+15 at Reduced DP1 Tgt	Start with 5 rounds loaded, 3 Secs exposure and minimum 5 secs away time between exposures. As issued sights/slings.	40
540	200yds	Veteran Service Rifle Rapid	Service	Issue pattern only	Prone	Rapid 2NS + 1 min DP1	Starts unloaded: rifles may be loaded at any time during the 1 min exposure. Issue sights. No slings. Max 15 rnds	49
541	200yds	Enfield Minute Rapid	Enfield Rifle	Issue pattern only	Prone	Rapid 2NS + 1 min DP1	Start with 5 rounds loaded: rifles may be reloaded at any time during the 1 min exposure. Issue sights. No slings. Max 15 rounds	49
542	200yds	Veteran Any Rifle Rapid	Any rifle	1919-1945 Des	Prone	Rapid 2NS + 1 min DP1	Starts unloaded: rifles may be loaded at any time during the 1 min exposure. Max 15 rounds	49
544	200yds	Veteran Service Rifle Dble Snaps	Service	Issue pattern only	Prone	Double Snaps 2NS + 10 X 5 secs DP1 reduced size	The firer may start with 5 rounds loaded: rifles may be reloaded any time during the series.10 exposures of 5s, 2 shots per exposure, with 5 secs minimum away time between exposures. Issue sights. No slings	23

AGGREGATES TM Only

950	Veteran S.R. AGGREGATES TM Only (Deliberate and Rapid - Matches 506 & 540)							
951	Veteran Service Rifle AGGREGATES TM Only: 200, 500 & 600yds (Matches 506,524,530)							
952	Any Veteran Rifle AGGREGATES TM Only: 200, 500 & 600yds (Matches 505,523,528)							

OPEN RIFLE: Any design prior to 1961. CF unless stated otherwise

R=ranging shots S=sighters
(C=convertible N=non convertible
U=unlimited)

SSCB column shows the Skilled Shot bogey score

Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB
600	50m	Open .22 Sporting	Rimfire sporters	.22 RF	Prone	US + 4 x 5 in 20 mins GR5	Any contemporary sights inc optics. Single or double point slings	180
601	55yds	Open 22 Sporting rifle -Running Boar	.22 Sporting	Rimfires only	Standing	4NS + 2 x 10 MOVING R Boar 10 runs Left & Right	Any contemporary sights inc optics. Any pre-1961 sporting rifle chambered for .22RF ammunition. This includes .22short, .22wrf & .22 Winchester M1903. No slings	120
602	50yds	Open Double Rifle Large bore	Double rifle	9mm & Above	Standing	5 min sighters & best 10 from 12	Fired alternate barrels. PL7 target	56

603	50yds	Open Double Rifle Smallbore	Double rifle	Smallbore - below 9mm	Standing	5 min sighters & best 10 from 12	Fired alternate barrels. PL7 target	58
611	110yds	Open - Any Rifle Historic Running Deer	Centrefire	Any Historic	Standing	2NS + 10 MOVING R Deer 5 runs Left & Right	Any sights. No slings.	30
613	110yds	Open - Big Game Rifle Running Deer	Big Game	1750ft-lbs min. M.E.	Standing	2NS + 10 MOVING R Deer 5 runs Left & Right	Iron sights. Single-loading doubles allowed. No slings	27
614	110yds	Open - Runnning Deer - CF BP Military Rifle over 9.5mm	BP Military	Military issue	Standing	2NS + 10 MOVING R Deer 5 runs Left & Right	BP Service rifles over 9.5 mm as issued but no slings .	30
615	110yds	Open - Runnning Deer - CF Military Rifle under 9.5mm	Military under 9.5mm	Military issue	Standing	4NS + 2 x 10 MOVING Deer 10 runs Left & Right	Service rifles under 9.5 mm as issued but no slings .	54
616	55yds	Open - Running Boar - Low Power Sporting Rifle <1496 ft lbs.Inc L/A	Centrefire	Low Power Sporter <1496 ft/lbs	Standing	2NS + 10 MOVING R Boar 5 runs Left & Right	Any sights. Max 1496 ft lbs. No slings.	65
619	200yds	Open - Any Historic NRA Gallery Rifle	Any Historic NRA GR	Max 1496 ft lbs	Prone	Rapid 2NS + 1 min DP1	Starts unloaded: rifles may be loaded at any time during the 1 min exposure. Pre 1961 design RF or Gallery CF caliber.	20
624	200yds	MCQUEEN - Sniper Civilian	Centrefire	Civilian Arms	Sniping	McQueen DP14	NRA McQueen: 2s + 10 exposures of DP14 target within or over cover, 1 shot per exposure; PROCEDURE see "Bisley bible" p. 176 paras 1-8. Any pre-1961 design rifle with any sighting system contemporary with the rifle or available during the period. Telescope mounts should be of contemp' pattn but may be repros	40
625	200yds	MCQUEEN - Sniper Military	Sniper	Military Issue	Sniping	McQueen DP14	See 624. Any pre-1961 design rifle with any sighting system contemporary with the rifle or available during the period.	39
630	200yds	Open - Target Rifle NRA .303 SR(b)	Target Rifle	SR(b) .303 rifles	Prone	2NS + 10 Sand/Sky Tin Hat	For .303" rifles complying with NRA rules as set out in special leaflet "NRA SR(b) conditions for Historic Target Rifles". Other types of the period may compete if they comply with the spirit of these general principles i.e. basically a military rifle with standard military blade or barleycorn foresight but may have added aperture rear sight and improved barrel (original calibre) and/or bedding	45
635	600yds	Hesketh Pritchard Military	Military Issue	Service, as issued	Prone	2CS + 10 NRA TH	Issue pattern optics. Rests permitted	45
636	600yds	Hesketh Pritchard Civilian	Civilian Arms	Civilian Arms	Prone	2CS + 10 NRA TH	Any contemporary optics. Rests permitted	47
640	200yds	Open Agony Snaps	Service rifle	As issued	Prone	Single Snaps 2NS+15 at Reduced DP1 Tgt	Start with 5 rounds loaded. Single exposures of 3 secs with varying placement and away times over a 6ft frontage.	28
643	200yds	Open - Any Historic Lever Action Repeating Rifle Dbl Snaps	Any lever action rifle	Any caliber L/A	Prone	Double Snaps 2NS + 10 X 5 secs DP1 reduced size	The firer starts with up to 10 rounds loaded: 10 exposures of 5s, maximum of 2 shots per exposure, with 5 secs minimum between exposures. Any sights. Rifles may be reloaded any time during the series. No slings	20
646	200yds	Open - Any Rifle Dbl Snaps	Any rifle pre-1961	Iron Sights	Prone	Double Snaps 2NS + 10 X 5 secs DP1 reduced size	The firer may start with 5 rounds loaded: rifles may be reloaded any time during the series. 10 exposures of 5s, 2 shots per exposure, with 5 secs minimum away time between exposures. Iron Sights	23
647	200yds	Open - CF Rifle Dbl Snaps Sniper	Sniper	Sniper Vet or Transitional	Prone	Double Snaps 2NS + 10 X 5 secs DP1 reduced size	As for 646. Any contemporary sights incl optical.	27
648	200yds	"Open" Pre 1946 Lever CF Repeater Slowfire	Lever CF	Repeater	Prone	2NS + 10 NRA RB	Iron sights. No slings	41
649	200yds	Open - Lever Action CF Repeater Rapid	Lever CF	Repeater L/A	Prn,Sit,Knl.	Rapid 2NS + 1 min DP1	Starts with 10 loaded. Position : Prone, kneeling or sitting. No slings. Max 15 rounds	30
660	900yds	Hesketh Pritchard Military	Military Issue	Military Issue	Prone/Supine	3CS+15 NRA RB	Issue pattern optics. Rests permitted	52

661	900yds	Hesketh Pritchard Civilian	Civilian Arms	Civilian Arms	Prone/Supine	3CS+15 NRA RB	Any contemporary sights inc optics. Rests permitted.	54
662	900yds	Back Position Match	Any rifle pre-1961	Back position rifle	Supine	3CS+15 NRA RB	Any contemporary iron sights. Back position only.	55
663	200yds	"Open" Pre 1946 Lever CF Repeater	Lever CF	Repeater	Standing	2NS + 10 NRA RB	Iron sights. No slings	30
664	200yds	Open Rifle Service Sniper	Service Sniper	Service rifles only	Prone	2NS + 10 Sand/Sky Tin Hat	Contemporary optical sights. Two point slings.	44
665	200yds	Open Rifle Military Miniature	Military Minature	.22RF-.310 Cadet	Prone	2NS + 10 Sand/Sky Tin Hat	As issued military sights. Two point slings.	44
667	200yds	Open .22 Rimfire Rifle	Open .22 Rimfire rifle	Any pre-1961 designed rifle in .22 RF	Prone	2NS + 10 NRA RB	Any contemporary metallic sights (e.g. No. 8 rifle permitted)	43
668	1000yds	Hesketh Pritchard Military	Military Issue	Military Issue pre 1961	Prone/Supine	3CS + 15 NRA RB	Issue pattern optics. Rests permitted	68
669	1000yds	Hesketh Pritchard Civilain	Civilian Arms	Civilian Arms pre 1961	Prone/Supine	3CS + 15 NRA RB	Any contemporary sights inc optics. Rests permitted	67

AGGREGATES TM Only

962	Open Lever Action AGGREGATES TM Only (Matches 648 & 649 Deliberate & Rapid)							
-----	--	--	--	--	--	--	--	--

TRANSITIONAL RIFLES: First generation 7.62mm target rifles built on pre-1961 design actions (see Laurie Holland's Target Sports Magazine article obtainable with SAE from the NRA). Single point slings permitted (except matches 718 and 719)

R=ranging shots S=sighters
(C=convertible N=non convertible
U=unlimited)

SSCB column shows the Skilled Shot bogey score

Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB
710	200yds	Any Transitional Rifle	Any rifle	7.62mm	Prone	2NS + 10 NRA RB	Any pattern contemporary. Iron sights only. SP slings permitted	46
712	500yds	Any Transitional Rifle	Any rifle	7.62mm	Prone	2NS + 10 NRA RB	Any pattern contemporary. Iron sights only.	46
714	600yds	Any Transitional Rifle	Any rifle	7.62mm	Prone	2NS + 10 NRA RB	Any pattern contemporary. Iron sights only.	42
716	900yds	Any Transitional Rifle	Any rifle	7.62mm	Prone	3CS + 15 NRA RB	Iron sights. Rests permitted.	55
718	200yds	Any Transitional Rifle -Rapid	Any rifle	7.62mm	Prone	Rapid 2NS + 1 min DP1	Starts unloaded: rifles may be loaded at any time during the 1 min exposure. Max 15 rounds	51
719	200yds	MCQUEEN - First Generation 7.62 Sniper	Sniper	First generation 7.62mm sniper rifle	Prone	McQueen DP14	As 624, Scope and mount must be of contemporary design. Rests permitted.	39
720	600yds	Hesketh Pritchard Sniper	Sniper	First generation 7.62mm sniper	Prone	2NS + 10 NRA RB	Scope and mount must be of contemporary design. Rests permitted.	46
721	900yds	Hesketh Pritchard Sniper	Sniper	7.62mm	Prone	3CS+15 NRA RB	Scope and mount must be of contemporary design. Rests permitted.	60
722	1000yds	Hesketh Pritchard Sniper	Sniper	7.62mm	Prone	3CS+15 NRA RB	Scope and mount must be of contemporary design. Rests permitted.	69

AGGREGATES TM Only

970	Transitional S.R. AGGREGATES TM Only (Matches 710 & 718)							
971	Transitional Mid-range AGGREGATES TM Only (Matches 710, 712 & 714)							